

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1-8. (Canceled)

9. (Previously Presented) A method of retrieving a file comprising HTML and having a filename, the method comprising, responsive to a request to retrieve the file:
retrieving the file;
retrieving a shadow file having a filename comprising the filename of the file and containing information about the file but not contained in the file;
accessing a parameter stored in the shadow file to determine that the shadow file is to be displayed; and
displaying one or more items of information included in the shadow file based on the parameter.

10. (Canceled)

11. (Previously Presented) A system for storing a file and information related to the file and not contained in the file, comprising:
at least one editor having an input operatively coupled for receiving information to be contained in the file, the at least one editor for providing at an output a user interface for receiving said information and for providing said information at the at least one editor output, wherein the information comprises computer code;
a shadow file keys/values manager having an input operatively coupled for receiving in a web authoring tool the information related to the file and not contained in the file, the shadow

file keys/values manager providing at an output a user interface for receiving said information related to the file and not contained in the file and for providing at the shadow file keys/values manager output said information related to the file and not contained in the file, wherein the information related to the file and not contained in the file describes an attribute of the computer code;

a file builder having an input coupled to the at least one editor output, the file builder for building the file responsive to the information received at the file builder input and for storing the file via an output; and

a shadow file builder having an input coupled to the shadow file keys/values manager for receiving the information related to the file and not contained in the file, the shadow file builder for building a shadow file responsive to said information related to the file and not contained in the file and for storing in said shadow file, different from the file, via an output.

12. (Original) The system of claim 11 wherein shadow file builder builds the shadow file using at least one XML tag.

13. (Original) The system of claim 11 wherein the file comprises HTML code.

14. (Previously presented) The system of claim 11 additionally comprising:

a file manager having an input operatively coupled for receiving a request to open the file, the file manager for, via an input/output, opening the file responsive to the request and for providing at an output a signal to display the shadow file; and

wherein the shadow file keys/values manager additionally has a signal input coupled to the file manager signal output for receiving the signal, the shadow file keys/values manager additionally for automatically displaying via the shadow file keys/values manager output at least a portion of the information related to the file in the shadow file responsive to the request.

15. (Original) The system of claim 11 additionally comprising a file manager having an input operatively coupled for receiving a request to move the file to a destination, the file manager for automatically moving via an input/output at least a portion of the shadow file to the destination responsive to the request.

16. (Original) The system of claim 11 wherein the shadow file comprises a name corresponding to a name of the file.

17. (Original) The system of claim 16 wherein the shadow file name comprises the file name.

18. (Original) The system of claim 11 wherein the at least one editor comprises at least a portion of Adobe GoLive.

19. (Previously Presented) A system for retrieving a file comprising HTML and having a filename, the system comprising:

a file manager having an input operatively coupled for receiving an identifier of the file, the file manager for, responsive to the identifier of the file received at the input retrieving via an input/output the file and a shadow file having a filename comprising the filename of the file and containing information about the file, the information about the file not being contained in the file; and

a shadow file manager configured to access a parameter stored in the shadow file to determine that the shadow file is to be displayed and to display one or more items of information included in the shadow file based on the parameter.

20-28. (Canceled)

29. (Previously Presented) A computer program product comprising a computer useable medium having computer readable program code embodied therein for retrieving a file comprising HTML and having a filename, the computer program product comprising computer readable program code devices configured to cause a computer to, responsive to a request to retrieve the file:

retrieve the file;

retrieve a shadow file having a filename comprising the filename of the file and containing information about the file, the information about the file not being contained in the file;

access a parameter stored in the shadow file to determine that the shadow file is to be displayed; and

display one or more items of information included in the shadow file based on the parameter.

30. – 46. (Canceled)

47. (Previously Presented) The method of claim 9, wherein the one or more items of information included in the shadow file are displayed in a separate window.

48. (Canceled)

49. (Previously Presented) The system of claim 11, wherein the information related to the file and not contained in the file comprises a key and a corresponding value.

50. (Previously Presented) The system of claim 49, wherein the key is one of author, status, and notes.

51. (Previously Presented) The system of claim 19, wherein the one or more items of information included in the shadow file are displayed in a separate window.

52. (Canceled)

53. (Previously Presented) The computer program product of claim 29, wherein computer readable program code devices are further configured to cause a computer to display the one or more items of information included in the shadow file in a separate window.

54. – 58. (Canceled)

59. (New) A computer-implemented method of storing a file and information related to the file and not contained in the file, comprising:

receiving, in at least one editor, information to be contained in the file, the information comprising computer code, the at least one editor providing a user interface for receiving the information to be contained in the file;

transferring the information to be contained in the file from the at least one editor to a file builder;

building, by the file builder, the file responsive to the information to be contained in the file;

receiving, in a shadow file keys/values manager, the information related to the file and not contained in the file, the information related to the file and not contained in the file describing an attribute of the computer code, wherein the shadow file keys/values manager provides a connection to a web authoring tool and a user interface for receiving the information related to the file and not contained in the file;

transferring the information related to the file and not contained in the file from the shadow file keys/values manager to a shadow file builder;

building, by the shadow file builder, a shadow file responsive to the information related to the file and not contained in the file; and

storing the file and the shadow file, wherein the file and the shadow file comprise separate files.

60. (New) The computer-implemented method of claim 59, further comprising building the shadow file using at least one XML tag.

61. (New) The computer-implemented method of claim 59, wherein the file comprises HTML code.

62. (New) The computer-implemented method of claim 59, further comprising:
opening the file responsive to a received request;
generating a signal to display the shadow file; and
automatically displaying at least a portion of the information related to the file included in the shadow file.

63. (New) The computer-implemented method of claim 59, further comprising:
receiving a request to move the file to a destination; and
automatically moving at least a portion of the shadow file to the destination responsive to the request.

64. (New) The computer-implemented method of claim 59, wherein the shadow file comprises a name corresponding to a name of the file.

65. (New) The computer-implemented method of claim 64, wherein the shadow file name comprises the file name.

66. (New) The computer-implemented method of claim 59, wherein the information related to the file and not contained in the file comprises a key and a corresponding value.

67. (New) The computer-implemented method of claim 66, wherein the key is one of author, status, and notes.

68. (New) A computer program product, encoded on a computer-readable medium, operable to cause data processing apparatus to perform operations comprising:

receiving, in at least one editor, information to be contained in the file, the information comprising computer code, the at least one editor providing a user interface for receiving the information to be contained in the file;

transferring the information to be contained in the file from the at least one editor to a file builder;

building, by the file builder, the file responsive to the information to be contained in the file;

receiving, in a shadow file keys/values manager, the information related to the file and not contained in the file, the information related to the file and not contained in the file describing an attribute of the computer code, wherein the shadow file keys/values manager provides a connection to a web authoring tool and a user interface for receiving the information related to the file and not contained in the file;

transferring the information related to the file and not contained in the file from the shadow file keys/values manager to a shadow file builder;

building, by the shadow file builder, a shadow file responsive to the information related to the file and not contained in the file; and

storing the file and the shadow file, wherein the file and the shadow file comprise separate files.

69. (New) The computer program product of claim 68, further operable to cause data processing apparatus to perform operations comprising building the shadow file using at least one XML tag.

70. (New) The computer program product of claim 68, wherein the file comprises HTML code.

71. (New) The computer program product of claim 68, further operable to cause data processing apparatus to perform operations comprising:
opening the file responsive to a received request;
generating a signal to display the shadow file; and
automatically displaying at least a portion of the information related to the file included in the shadow file.

72. (New) The computer program product of claim 68, further operable to cause data processing apparatus to perform operations comprising:
receiving a request to move the file to a destination; and
automatically moving at least a portion of the shadow file to the destination responsive to the request.

73. (New) The computer program product of claim 68, wherein the shadow file comprises a name corresponding to a name of the file.

74. (New) The computer program product of claim 73, wherein the shadow file name comprises the file name.

75. (New) The computer program product of claim 68, wherein the information related to the file and not contained in the file comprises a key and a corresponding value.

76. (New) The computer program product of claim 75, wherein the key is one of author, status, and notes.